PRODUCT DATASHEET

TRIM-SET-R78-P02

Combination preparation tool (Universal Trimming Tool), RADIAFLEX® Cable 7/8" for P-Series connector

The trimming tool improves the cable preparation prior to connector attachment. No further tools are required to prepare the cable for the connector attachment. Due to the unique design of the trimming tool, it combines all necessary functions in one tool. It can be used for all RADIAFLEX® 7/8'' cables in combination with RADIAFLEX® P-Series connector.

The Universal Trimming Tools Series offers the additional advantage to be convertible to different connector families and cable types and sizes (1/4"", 3/8"", 1/2"" and 7/8"") only by changing the insert. Different inserts are available as optional items, for references see below or contact your RFS Technologies sales contact.



TRIM-SET for RADIAFLEX 7/8"

FEATURES / BENEFITS

- **Universal Trimming Tool concept**
  One basic tool can be used for cables sizes 1/4"", 3/8"", 1/2"" and 7/8"" only by changing the insert
- **Precision cable preparation tool**
  Always exact and repeatable trimming dimensions
- **Intuitive use of tool**
  Easy and precise preparation of cables for connector installation
- **Long-lasting cutting blades**
  Easy to clean, smooth dielectric surface improves IM performance

Technical features

STRUCTURE

Product Line		Coaxial Cable Accessories
Product Type		Tool
Transmission Line Type		RADIAFLEX radiating cables of RLK, RAY, RLF series
Coaxial Cable Type		Foam dielectric radiating cables with copper foil outer conductor
Cable Size		7/8"
Type of Tool		Combination Cable Preparation Tool
Configuration		Universal Trimming Tool

ACCESSORIES

Spare Part / Useful Accessories		Spare blades : TRIM-B30

MECHANICAL SPECIFICATIONS

Color		Red
Material		Fiberglass reinforced Polycarbonate

PACKAGING INFORMATION

Package Quantity		1
Weight per piece	kg (lb)	0.19 (0.42)

External Document Links

Notes

Available inserts to convert the tool for use with RADIAFLEX® 7/8'' cable series and P02 connector family:

- TRIM-IR78-P02
- TRIM-FR78-P02

All values nominal unless tolerances provided; information contained in the present datasheet is subject to confirmation at time of ordering